

Declaration of Performance



hansen

Construction product Windows & doors
Reference number of the Declaration of Performance Nr. MB86N-EI30 IN 1
1. Unique identification code of the product type Hansen Vinduer Indadgående MB86 EI30
2. Intended use Windows for buildings
3. Name and adress of the manufacturer HSHansen a/s, Randersvej 2, DK-8600 Silkeborg
4. System(s) of assessment and verification of constancy of performance 3
5. Harmonised standard EN 14351-1:2006+A2:2016

6. Declared performances

Burglary resistance ENV 1627/1628/1629/1630
 Air permeability EN 1026/12207
 Water tightness EN 1027/12208
 Wind load EN12210
 Operating forces EN 13115/12046-1
 Mechanical strength EN 13115/14608/14609
 Impact resistance EN 13049
 Load-bearing capacity of safety devices EN 14609
 Resistance to repeated opening and closing EN 12400/1191
 Heat transfer coefficient EN 10077-1
 Radiation Properties - Solar Factor EN 410
 Radiation properties - Light transmission EN 410
 Acoustic performance EN ISO 717-1

Uw (CEN size - Ug=0,74)
 g-value =
 LT-value =

npd
Class 4
Class E900
Class C5/B5
Class 1
Class 4
npd
Pass
npd
1,1 W/m2K
npd
npd
npd

7. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.
 This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer:

CTO Simon Smidt Kristensen

Date:
 15-05-2024

Signature